

PRODUCT RANGE

# CRAZY PAVING



- Slip Ratings
- Product Sizes
- Product Thickness
- Grades
- m<sup>2</sup>/crate
- kg/crate
- Finish







## ***Crazy Paving***

Say goodbye to the predictable rows of standard pavers and step into the captivating world of crazy paving. This unique style, crafted from irregularly shaped natural stones like travertine, sandstone, bluestone, and limestone.

If you're considering crazy paving for your pool area, finding an expert installer is crucial. For those interested in crazy paving during pool installation, we're here to help! Our master stonemason can assist you throughout the process.





Product: Ivory Travertine Crazy Paving: @5pointprojects









## Travertine Crazy Paving - Ivory

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150x400mm	20mm	Brushed & Tumbled	Standard	30	1300	P5
150x400mm	30mm+-5mm	Brushed & Tumbled	Standard	24	1500	P5





Product: Himalayan Sandstone Crazy Paving: @5pointprojects





@5pointprojects

## Sandstone Crazy Paving - Himalayan

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150-50mm	20-22mm (Calibrated)	Natural Split	Standard	25	1100	P5
500-900mm	20-22mm (Calibrated)	Natural Split	Standard	30	1600	P5






## Bluestone Crazy Paving - Australian

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
Mix contains straight lines	20mm	Sawn & Honed	Standard	24	1100	P5
Mix contains straight lines	30mm	Sawn & Honed	Standard	16	1100	P5
Mix contains straight lines	40mm	Sawn & Honed	Standard	10	1000	P5






## Bluestone Crazy Paving - European

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
200-600mm	20mm+-3mm	Sawn	Standard	24	1100	P5
200-600mm	20mm+-3mm	Sawn	Standard	16	1100	P5






@loveitlandscapes



@loveitlandscapes





## Bluestone Crazy Paving - Harkaway

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
200-600mm	20mm+-3mm	Sawn & Lightly Honed	Standard	20	1100	P5
200-600mm	20mm+-3mm	Sawn & Lightly Honed	Standard	13	1100	P5





## Limestone Crazy Paving - Capri

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150x400mm	20mm	Brushed & Tumbled	Standard	30	1300	P5





## Travertine Crazy Paving - Silver

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150x400mm	20mm	Brushed & Tumbled	Standard	30	1300	P5
150x400mm	30mm+-5mm	Brushed & Tumbled	Standard	24	1500	P5






## Slate Crazy Paving - Kakadu

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
200-600mm	20-30mm	Natural Split	Standard	18	1000	P5
600x300mm Sheets	15mm	Natural Split	Standard	25	1000	P5
600x400mm Geometric	15mm	Natural Split	Standard	25	1000	P5





## Quartz Crazy Paving - Golden

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150-500mm	18-35mm	Natural Split	Standard	17	1000	P5
600x400mm Geometric	15mm	Natural Split	Standard	25	1000	P5
600x300mm Sheets	15mm	Natural Split	Standard	25	1000	P5





## Quartz Crazy Paving - Rio

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150-450mm	20-30mm	Natural Split	Standard	25	1500	P5





## Quartz Crazy Paving - Adelaide

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150-450mm	20-30mm	Natural Split	Standard	25	1500	P5





## Quartz Crazy Paving - Silver

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
150-500mm	20-30	Natural Split	Standard	17	1000	P5







Product: Travertine Crazy Paving @5pointprojects



Since 1986, we've helped countless homeowners translate their dreams into stunning realities. Let Stone & Slate Discounts be your trusted partner.

## Edge Profiles

Here are few of the popular pool coping styles we stock: Drop Face Pool Coping, Bullnose Pool Coping & Tumbled Pool Coping.



Experience the world's finest materials without the hefty price tag: our quarry partnerships unlock exceptional quality at competitive costs.

## Product Features



Durable



Non-Slip



Outdoor



Low Heat Absorption



Low Maintenance



Project Sizes Available

