

PRODUCT RANGE

# LIMESTONE



- Slip Ratings
- Product Sizes
- Product Thickness
- Grades
- m<sup>2</sup>/crate
- kg/crate
- Finish







## *Limestone*

Limestone pavers offer the enduring elegance of natural stone, meticulously quarried and crafted to enhance your outdoor space. Formed over millions of years through the gradual accumulation of marine fossils and minerals, limestone boasts a unique character unmatched by man-made materials.









## Shell White Limestone Tiles

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
610x406	12mm	Unfilled & Tumbled	Standard	40	1400	P5
610x406	30mm	Unfilled & Tumbled	Standard	16.5	1210	P5
French Pattern	12mm	Unfilled & Tumbled	Standard	39	1400	P5

## Shell White Limestone Pool Coping


Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
610x406x40/20mm	20mm	Unfilled & Tumbled	Drop Face	70	990	P5
610x406x75/20mm	20mm	Unfilled & Tumbled	Drop Face	50	660	P5
610x406	30mm	Unfilled & Tumbled	Tumbled	66	1210	P5
610x406	30mm	Unfilled & Tumbled	Bullnose	66	1210	P5





Product: Shell White Limestone Pavers & Matching Pool Coping @glazedco.sydney





## Capri White Limestone Tiles

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
610x406	12mm	Tumbled	Standard	40	1400	P5
610x406	30mm	Tumbled	Standard	16.5	1210	P5
French Pattern	12mm	Tumbled	Standard	39	1400	P5
610x406	12mm	Sandblasted	Standard	40	1400	P5
610x406	30mm	Sandblasted	Standard	16.5	1210	P5
French Pattern	12mm	Sandblasted	Standard	39	1400	P5






## Capri White Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
610x406x40/20mm	20mm	Tumbled	Drop Face	70	990	P5
610x406x75/20mm	20mm	Tumbled	Drop Face	50	660	P5
610x406	30mm	Tumbled	Tumbled	66	1210	P5
610x406	30mm	Tumbled	Bullnose	66	1210	P5
610x406x40/20mm	20mm	Sandblasted	Drop Face	70	990	P5
610x406x75/20mm	20mm	Sandblasted	Drop Face	50	660	P5
610x406	30mm	Sandblasted	Tumbled	66	1210	P5
610x406	30mm	Sandblasted	Bullnose	66	1210	P5














@ingejabaralandscape


## Pearl Grey Limestone Tiles

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
610x406	12mm	Tumbled	Standard	40	1400	P4
610x406	30mm	Tumbled	Standard	16.5	1210	P4
French Pattern	12mm	Tumbled	Standard	39	1400	P4


## Pearl Grey Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
610x406x40/20mm	20mm	Tumbled	Drop Face	70	990	P4
610x406x75/20mm	20mm	Tumbled	Drop Face	50	660	P4
610x406	30mm	Tumbled	Tumbled	66	1210	P4
610x406	30mm	Tumbled	Bullnose	66	1210	P4









## Tundra Grey Limestone Tiles

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
610x406	12mm	Sandblasted	Standard	40	1400	P5
610x406	30mm	Sandblasted	Standard	16.5	1210	P5
French Pattern	12mm	Sandblasted	Standard	39	1400	P5

## Tundra Grey Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
610x406x40/20mm	20mm	Sandblasted	Drop Face	70	990	P5
610x406	30mm	Sandblasted	Tumbled	66	1210	P5
610x406	30mm	Sandblasted	Bullnose	66	1210	P5









## Caliza Limestone Pavers

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
800x400x20mm	20mm	Sandblasted	Standard	32	1600	P5
500x500x20mm	20mm	Sandblasted	Standard	25	1350	P5

## Caliza Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
800x400x60/20mm	20mm	Sandblasted	Drop Face	26	500	P5
800x400	30mm	Sandblasted	Bullnose	60	1600	P5





## Marrakesh Limestone Pavers

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
800x400x20mm	20mm	Sandblasted	Standard	32	1600	P5
500x500x20mm	20mm	Sandblasted	Standard	25	1350	P5

## Marrakesh Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
800x400x60/20mm	20mm	Sandblasted	Drop Face	26	500	P5
800x400	30mm	Sandblasted	Bullnose	60	1600	P5





## London Grey Limestone Pavers

Size	Thickness	Finish	Grade	m <sup>2</sup> /crate	kg/crate	slip rating
800x400x20mm	20mm	Sandblasted	Standard	32	1600	P5
500x500x20mm	20mm	Sandblasted	Standard	25	1350	P5

## London Grey Limestone Pool Coping

Size	Thickness	Finish	Type	pcs/crate	kg/crate	slip rating
800x400x60/20mm	20mm	Sandblasted	Drop Face	26	500	P5
800x400	30mm	Sandblasted	Bullnose	60	1600	P5









Since 1986, we've helped countless homeowners translate their dreams into stunning realities. Let Stone & Slate Discounts be your trusted partner.

## Edge Profiles

Here are few of the popular pool coping styles we stock: Drop Face Pool Coping, Bullnose Pool Coping & Tumbled Pool Coping.



Experience the world's finest materials without the hefty price tag: our quarry partnerships unlock exceptional quality at competitive costs.



## Product Features



Durable



Non-Slip



Outdoor



Low Heat  
Absorption



Low  
Maintenance



Project Sizes  
Available

